



Tower Height:	40'	50'	60'	70'
Part Number	4.618.G000.040	4.618.G000.050	4.618.G000.060	4.618.G000.070
List Price	\$3,703.92	\$4,071.00	\$4,439.00	\$4,806.08
EIA 222-F* at 70/90/110mph-no ice	Round: 100/54/38 Flat: 60/32/22	Round: 95/53/37 Flat: 57/31/22	Round: 90/52/36 Flat: 54/31/21	Round: 87/51/34.5 Flat: 52/30/20
EIA 222-F* at 70/90/110mph-1/2" ice	Round: 80/60/30 Flat: 48/36/18	Round: 77/55/28 Flat: 46/33/17	Round: 74/50/26 Flat: 44/30/16	Round: 71/45/24 Flat: 43/27/14
Ship Weight	921 lbs [415 kg]	1054 lbs [474 kg]	1191 lbs [536 kg]	1324 lbs [596 kg]
Ship Dim. (L"xW"xH")	1@122x60x18 + 1@60x48x30	1@122x60x18 + 1@60x48x30	1@122x60x38 + 1@60x48x38	1@122x60x38 + 1@60x48x38



Tower Height:	80'	90'	100'	110'
Part Number	4.618.G000.080	4.618.G000.090	4.618.G000.100	4.618.G000.110
List Price	\$5,956.08	\$6,323.16	\$6,837.44	\$7,204.52
EIA 222-F* at 70/90/110mph-no ice	Round: 85/50/33 Flat: 51/30/20	Round: 80/49/32 Flat: 48/29/19	Round: 75/48/31 Flat: 45/28/18	Round: 70/47/30.5 Flat: 42/28/18
EIA 222-F* at 70/90/110mph-1/2" ice	Round: 69/40/22 Flat: 41/24/13	Round: 67/35/20 Flat: 40/21/12	Round: 64/30/18 Flat: 38/18/11	Round: 61/25/14 Flat: 37/15/8
Ship Weight	1534 lbs [690 kg]	1563 lbs [703 kg]	1860 lbs [837 kg]	2104 lbs [947 kg]
Ship Dim. (L"xW"xH")	1@122x60x38 + 1@60x48x38	1@122x60x38 + 1@60x48x38	1@122x60x38 + 1@60x48x38	1@122x60x60 + 1@60x48x40




*Wind load area (ft²). See page 99 for Wind Load Data information.


Tower Kits



Tower Height:	120'	130'	140'	150'
Part Number	4.618.G000.120	4.618.G000.130	4.618.G000.140	4.618.G000.150
List Price	\$7,571.60	\$7,939.60	\$8,306.68	\$9,860.56
EIA 222-F* at 70/90/110mph-no ice	Round: 65/46/30 Flat: 39/27/18	Round: 62/45/29 Flat: 37/27/17	Round: 60/44/28 Flat: 36/26/16	Round: 58/43/26.5 Flat: 34/25/15
EIA 222-F* at 70/90/110mph-1/2" ice	Round: 58/22/7 Flat: 35/13/4	Round: 55/20/3 Flat: 33/12/2	Round: 52/17/— Flat: 31/10/—	Round: 49/15/— Flat: 29/9/—
Ship Weight	2248 lbs [1012 kg]	2391 lbs [1076 kg]	2529 lbs [1138 kg]	2777 lbs [1250 kg]
Ship Dim. (L"xW"xH")	1@122x60x60 + 1@60x48x40	1@122x60x60 + 1@60x48x42	1@122x60x60 + 1@60x48x44	1@122x60x60 + 1@60x48x46




Tower Height:	160'	170'	180'	190'
Part Number	4.618.G000.160	4.618.G000.170	4.618.G000.180	4.618.G000.190
List Price	\$10,228.56	\$10,595.64	\$11,266.32	\$11,229.52
EIA 222-F* at 70/90/110mph-no ice	Round: 56/42/25 Flat: 33/25/15	Round: 54/41/24 Flat: 32/24/14	Round: 52/40/23 Flat: 31/24/13	Round: 50/39/22 Flat: 30/23/13
EIA 222-F* at 70/90/110mph-1/2" ice	Round: 47/13/— Flat: 28/8/—	Round: 44/11/— Flat: 26/7/—	Round: 41/9/— Flat: 25/5/—	Round: 38/7/— Flat: 23/4/—
Ship Weight	2924 lbs [1316 kg]	3070 lbs [1382 kg]	3217 lbs [1448 kg]	3363 lbs [1514 kg]
Ship Dim. (L"xW"xH")	1@122x60x60 + 1@60x48x48	2@122x60x60	2@122x60x60	2@122x60x60




*Wind load area (ft²). See page 99 for Wind Load Data information.



Tower Height:	200'	210'	220'	230'
Part Number	4.618.G000.200	4.618.G000.210	4.618.G000.220	4.618.G000.230
List Price	\$13,270.08	\$13,638.08	\$14,005.16	\$14,372.24
EIA 222-F* at 70/90/110mph-no ice	Round: 49/38/21 Flat: 29/22/12	Round: 48/37.5/20 Flat: 28/22/12	Round: 47/37/19 Flat: 28/22/11	Round: 46/36/18 Flat: 27/21/10
EIA 222-F* at 70/90/110mph-1/2" ice	Round: 36/5/— Flat: 22/3/—	Round: 34/—/— Flat: 20/—/—	Round: 31/—/— Flat: 19/—/—	Round: 28/—/— Flat: 17/—/—
Ship Weight	3658 lbs [1646 kg]	3912 lbs [1761 kg]	4070 lbs [1832 kg]	4219 lbs [1899 kg]
Ship Dim. (L"xW"xH")	2@122x60x60	2@122x60x60	2@122x60x60	2@122x60x60



Tower Height:	240'	250'	260'	270'
Part Number	4.618.G000.240	4.618.G000.250	4.618.G000.260	4.618.G000.270
List Price	\$14,740.24	\$15,815.72	\$16,182.80	\$17,883.88
EIA 222-F* at 70/90/110mph-no ice	Round: 45/35/16 Flat: 27/21/9	Round: 44/34.5/15 Flat: 26/20/9	Round: 43/34/13 Flat: 25/20/7	Round: 42/33/12 Flat: 25/19/7
EIA 222-F* at 70/90/110mph-1/2" ice	Round: 25/—/— Flat: 15/—/—	Round: 22/—/— Flat: 13/—/—	Round: 20/—/— Flat: 12/—/—	Round: 17/—/— Flat: 10/—/—
Ship Weight	4360 lbs [1962 kg]	4513 lbs [2058 kg]	4671 lbs [2102 kg]	5052 lbs [2274 kg]
Ship Dim. (L"xW"xH")	2@122x60x60	2@122x60x60	2@122x60x60	2@122x60x60




*Wind load area (ft²). See page 99 for Wind Load Data information.


Tower Kits



Tower Height:	280'	290'	300'	310'
Part Number	4.618.G000.280	4.618.G000.290	4.618.G000.300	4.618.G000.310
List Price	\$18,251.88	\$19,023.76	\$18,986.04	\$19,353.12
EIA 222-F* at 70/90/110mph-no ice	Round: 41/32/15 Flat: 24/18/6	Round: 40/31/14.5 Flat: 24/18/3	Round: 39/30/14 Flat: 23/16/3	Round: 38/26/— Flat: 22/15/—
EIA 222-F* at 70/90/110mph-1/2" ice	Round: 14/—/— Flat: 8/—/—	Round: 12/—/— Flat: 7/—/—	Round: 8/—/— Flat: 5/—/—	Round: 6/—/— Flat: 4/—/—
Ship Weight	5207 lbs [2343 kg]	5363 lbs [2414 kg]	5521 lbs [2485 kg]	5782 lbs [2602 kg]
Ship Dim. (L"xW"xH")	2@122x60x60	2@122x60x60	2@122x60x60	2@122x60x60




Tower Height:	320'	330'
Part Number	4.618.G000.320	4.618.G000.330
List Price	\$20,125.92	\$21,597.00
EIA 222-F* at 70/90/110mph-no ice	Round: 37/2/— Flat: 22/15/—	Round: 36/24/— Flat: 21/14/—
EIA 222-F* at 70/90/110mph-1/2" ice	Round: 4/—/— Flat: 2/—/—	Round: —/—/— Flat: —/—/—
Ship Weight	5938 lbs [2672 kg]	6292 lbs [2832 kg]
Ship Dim. (L"xW"xH")	2@122x60x60 + 1@60x48x48	2@122x60x60 + 1@122x60x24




*Wind load area (ft²). See page 99 for Wind Load Data information.

Tower Height:	340'	350'	360'	370'
Part Number	4.618.G000.340	4.618.G000.350	4.618.G000.360	4.618.G000.370
List Price	\$21,964.08	\$24,070.88	\$24,437.96	\$24,805.04
EIA 222-F* at 70/90/110mph-no ice	Round: 35/23/— Flat: 21/13/—	Round: 34/22/— Flat: 20/13/—	Round: 33/21/— Flat: 19/12/—	Round: 32/20/— Flat: 19/12/—
EIA 222-F* at 70/90/110mph-1/2" ice	Round: —/—/— Flat: —/—/—	Round: —/—/— Flat: —/—/—	Round: —/—/— Flat: —/—/—	Round: —/—/— Flat: —/—/—
Ship Weight	6456 lbs [2905 kg]	6892 lbs [3102 kg]	7067 lbs [3180 kg]	7225 lbs [3252 kg]
Ship Dim. (L"xW"xH")	2@122x60x60 + 1@122x60x24	2@122x60x60 + 1@122x60x24	2@122x60x60 + 1@122x60x24	2@122x60x60 + 1@122x60x24



Tower Height:	380'	390'	400'	410'
Part Number	4.618.G000.380	4.618.G000.390	4.618.G000.400	4.618.G000.410
List Price	\$25,475.72	\$26,248.52	\$26,615.60	\$27,286.28
EIA 222-F* at 70/90/110mph-no ice	Round: 31/19/— Flat: 18/11/—	Round: 30/18/— Flat: 18/10/—	Round: 29/17/— Flat: 17/10/—	Round: 28/—/— Flat: 16/—/—
EIA 222-F* at 70/90/110mph-1/2" ice	Round: —/—/— Flat: —/—/—	Round: —/—/— Flat: —/—/—	Round: —/—/— Flat: —/—/—	Round: —/—/— Flat: —/—/—
Ship Weight	7389 lbs [3325 kg]	7569 lbs [3406 kg]	7728 lbs [3478 kg]	7920 lbs [3564 kg]
Ship Dim. (L"xW"xH")	2@122x60x60 + 1@122x60x38	2@122x60x60 + 1@122x60x38	2@122x60x60 + 1@122x60x38	2@122x60x60 + 1@122x60x38




*Wind load area (ft²). See page 99 for Wind Load Data information.


Tower Kits



Tower Height:	420'	430'	440'	450'
Part Number	4.618.G000.420	4.618.G000.430	4.618.G000.440	4.618.G000.450
List Price	\$27,654.28	\$28,426.16	\$29,602.84	\$29,970.84
EIA 222-F* at 70/90/110mph-no ice	Round: 27/—/— Flat: 16/—/—	Round: 26/—/— Flat: 15/—/—	Round: 25/—/— Flat: 15/—/—	Round: 24/—/— Flat: 14/—/—
EIA 222-F* at 70/90/110mph-1/2" ice	Round: —/—/— Flat: —/—/—	Round: —/—/— Flat: —/—/—	Round: —/—/— Flat: —/—/—	Round: —/—/— Flat: —/—/—
Ship Weight	8078 lbs [3635 kg]	8267 lbs [3721 kg]	8420 lbs [3789 kg]	8592 lbs [3867 kg]
Ship Dim. (L"xW"xH")	2@122x60x60 + 1@122x60x38	2@122x60x60 + 1@122x60x54	2@122x60x60 + 1@122x60x54	2@122x60x60 + 1@122x60x54




Tower Height:	460'	470'	480'
Part Number	4.618.G000.460	4.618.G000.470	4.618.G000.480
List Price	\$30,337.92	\$30,705.00	\$31,072.08
EIA 222-F* at 70/90/110mph-no ice	Round: 23/—/— Flat: 13/—/—	Round: 22/—/— Flat: 13/—/—	Round: 21/—/— Flat: 12/—/—
EIA 222-F* at 70/90/110mph-1/2" ice	Round: —/—/— Flat: —/—/—	Round: —/—/— Flat: —/—/—	Round: —/—/— Flat: —/—/—
Ship Weight	8778 lbs [3950 kg]	8908 lbs [4009 kg]	9077 lbs [4085 kg]
Ship Dim. (L"xW"xH")	2@122x60x60 + 1@122x60x54	2@122x60x60 + 1@122x60x54	3@122x60x60 + 1@60x48x60



*Wind load area (ft²). Allowable antenna area for round member antennas at 70/90/110mph wind speeds with no ice; designed in accordance with national standard ANSI/EIA 222; and based on loads being centrally located and balanced over the tower top. For flat plate equivalent (FPE) areas, divide by a factor of 1.5.



SuperTITAN Guyed™ Kits




Concrete Foundation Details

(Normal dry soil)



Please email info@trylon.com for full installation manual.




BASE FOUNDATION

TYPE A PIER FOUNDATION

(1) REQUIRED

* Note: Please contact Trylon for frost depth information.




ANCHOR FOUNDATION

(3) REQUIRED

FOUNDATION TYPE	DIMENSIONS				MAX LOAD (LBS)		
	W	D	L	L/2	AXIAL	HORIZ	VERT
B	3'	3'	11'	5.5'	28,000	20,000	20,000
C	3'	3'	8'	4'	21,000	15,000	15,000
D	2'	2'	6'	3'	14,000	10,000	10,000
E	2'	2'	4'	2'	7,000	5,000	5,000

Description:	5/16" x 500' EHS Guy Wire	5/16" x 1000' EHS Guy Wire	1/4" x 500' EHS Guy Wire	1/4" x 1000' EHS Guy Wire
Part Number	5.1602031.500	5.1602031.1000	5.1602030.500	5.1602030.1000
List Price	\$397.44	\$794.88	\$298.08	\$596.16
				

Description:	1/4" Guy Hardware	5/16" Guy Hardware	3/8" Thimble (for use with 1/4" and 5/16" EHS)	7/16" Shackle (for use with 1/4" and 5/16" EHS)
Part Number	4.600.1502.001	4.600.1503.001	5.1601650	5.1601600
List Price	\$81.88	\$96.60	\$4.88	\$6.35
				

Description:	1/4" Big Grip (for use with 1/4" EHS)	5/16" Big Grip (for use with 5/16" EHS)	Hose Clamp (for 3/16", 1/4", and 5/16" EHS)	1/4" End Sleeve (for use with 1/4" EHS)
Part Number	5.1607047	5.1607048	5.2204020	5.1607077
List Price	\$17.48	\$23.90	\$2.39	\$12.88
				

Description:	5/16" End Sleeve (for use with 5/16" EHS)	1/2" x 12" Turnbuckle (for use with 3/16" and 1/4" EHS)	5/8" x 12" Turnbuckle (for use with 5/16" EHS)	1/4" U-Bolt Clip
Part Number	5.1607078	5.1601700	5.1601705	5.1601302
List Price	\$11.04	\$28.52	\$38.64	\$3.13
				

Accessories – Lighting



Basic Light Kit (dual obstruction red lights, non-alarmed, steady burning, no photocell, c/w lights, cable, connectors, ty wraps, etc.)

Part Number	Description	List Price	Ship Wt. (lbs)*	Image
4.93.0200.150	Basic DOL Light Kit, 0 to 150' towers	\$1764.00	60	
* Packaging includes three pieces: one box with lights only (20"L x 8"W x 10"H), one reel of tech cable (24"OD x 12"H), and one box of all other components (8"L x 8"W x 16"H).				

Light Kit with Photocell (non-alarmed, c/w red lights, cable, connectors, ty wraps, etc.)

Part Number	Description	List Price	Ship Wt. (lbs)	Image
4.93.STGP.150	0-150' DOL Light Kit	\$2195.00	90	
4.93.STGP.350	151-350' Beacon Light Kit	\$9555.00	200	
4.93.STGP.480	351-480' Beacon Light Kit	\$21606.00	300	

Light Kit with Alarmed Controller and Photocell (c/w red lights, cable, connectors, ty wraps, etc.)

Part Number	Description	List Price	Ship Wt. (lbs)	Image
4.93.STGA.150	0-150' DOL Light Kit	\$3072.00	90	
4.93.STGA.350	151-350' Beacon Light Kit	\$9501.00	200	
4.93.STGA.480	351-480' Beacon Light Kit	\$21729.00	300	

White Strobe Light Kit (medium intensity, c/w cable, connectors, etc., no mid DOL)




Part Number	Description	List Price	Ship Wt. (lbs)	Image
4.93.STGW.150	STG White Strobe Kit, 0 to 150' towers	\$9139.00	157	
4.93.STGW.250	STG White Strobe Kit, 151' to 250' towers	\$9473.00	203	


48VDC LED Light Kit with Photocell (ideal for sites powered by solar energy)

Part Number	Description	List Price	Ship Wt. (lbs)	Image
4.93.LED1.150	0'-150' LED dual obstruction light kit, photocell, no SOL	\$2239.00	150	
4.93.LED3.200	160'-190' LED beacon light kit, photocell, two LED SOL	\$4116.00	180	

Description:	STG Splice Kit	STG Guy Bracket Assembly	STG Torsion Resistor	Guy Anchor (28 kips)
Part Number	4.618.1501.001	4.618.1502.001	4.618.2101.001	4.600.8006.001
List Price	\$12.88	\$165.60	\$307.00	\$110.40
				


Description:	5 Guy Elevation Expansion Kit	7 Guy Elevation Expansion Kit	Guy Rock Anchor (4' shaft)	Guy Anchor Grounding Kit
Part Number	4.600.0602.001	4.600.0602.002	4.600.0603.004	4.600.1201.002
List Price	\$26.68	\$33.12	\$462.76	\$120.52
				




Description:	Tower Base Grounding Kit	2-Leg Grounding EIA Compliant	Ground Connector	Turnbuckle Anti-Rotation
Part Number	4.600.1201.001	4.91.0103.004	5.1303086	4.600.1506.001
List Price	\$65.32	\$1,740.64	\$21.25	\$48.76
				



Description:	STG Anti-Climb Kit (3-pak)	HD Universal House Bracket (6"-36")	GAC303 Guy Anchor (7.5 kips)	GAW25 Wall and Roof Mount
Part Number	4.618.3601.001	4.600.5401.001	4.600.8001.001	4.600.5403.001
List Price	\$316.48	\$228.16	\$78.20	\$65.00
				

Accessories




Description:	STG Work Platform	25T/STG-Site Warning Package	Side Arm Bracket-1 Level	Side Arm Bracket-2 Level
Part Number	4.618.1801.001	4.600.7201.001	4.600.2701.001	4.600.2702.001
List Price	\$669.00	\$12.00	\$79.00	\$186.00
				

Description:	Beacon Plate Assembly	25T/STG Lightning Rod (5' long)	25T/STG Lightning Rod (8' long)	Ballast Roof Mount
Part Number	4.618.4201.001	4.90.0618.C05	4.600.1202.008	4.618.5102.001
List Price	\$235.00	\$136.00	\$88.32	\$2816.00
				

Description:	TB3 Thrust Bearing (supports up to 2"OD Mast)	TB4 Thrust Bearing (supports up to 3"OD Mast)	Bolted Foundation Kit	Bearing Plate
Part Number	4.600.2703.001	4.600.2704.001	4.618.0605.001	4.618.2715.001
List Price	\$145.00	\$171.00	\$215.28	\$162.84
				

Description:	EB2525T Universal Eave Bracket
Part Number	4.600.5101.001
List Price	\$299.00
	

Part Number	Description	List Price	Ship Weight (lbs)	Ship L"xW"xH"	Image
4.618.2701.115	STG-1' Side Arm Kit c/w 1.900"OD Pipe	\$179.00	32	36x6x6	 4.618.2701.120
4.618.2701.120	STG-1' Side Arm Kit c/w 2.375"OD Pipe	\$186.00	41	36x6x6	
4.618.2701.125	STG-1' Side Arm Kit c/w 2.875"OD Pipe	\$193.00	45	36x6x6	
4.618.2701.130	STG-1' Side Arm Kit c/w 3.500"OD Pipe	\$208.00	50	36x6x6	
4.618.2701.135	STG-1' Side Arm Kit c/w 4.000"OD Pipe	\$242.00	65	36x6x6	
4.618.2701.140	STG-1' Side Arm Kit c/w 4.500"OD Pipe	\$262.00	71	36x6x6	
4.618.2701.215	STG-2' Side Arm Kit c/w 1.900"OD Pipe	\$185.00	37	48x6x6	 4.618.2701.220
4.618.2701.220	STG-2' Side Arm Kit c/w 2.375"OD Pipe	\$194.00	46	48x6x6	
4.618.2701.225	STG-2' Side Arm Kit c/w 2.875"OD Pipe	\$206.00	50	48x6x6	
4.618.2701.230	STG-2' Side Arm Kit c/w 3.500"OD Pipe	\$221.00	55	48x6x6	
4.618.2701.235	STG-2' Side Arm Kit c/w 4.000"OD Pipe	\$256.00	70	48x6x6	
4.618.2701.240	STG-2' Side Arm Kit c/w 4.500"OD Pipe	\$260.00	76	48x6x6	
4.618.2701.315	STG-3' Side Arm Kit c/w 1.900"OD Pipe	\$194.00	42	60x6x6	 4.618.2701.320
4.618.2701.320	STG-3' Side Arm Kit c/w 2.375"OD Pipe	\$208.00	51	60x6x6	
4.618.2701.325	STG-3' Side Arm Kit c/w 2.875"OD Pipe	\$218.00	55	60x6x6	
4.618.2701.330	STG-3' Side Arm Kit c/w 3.500"OD Pipe	\$233.00	61	60x6x6	
4.618.2701.335	STG-3' Side Arm Kit c/w 4.000"OD Pipe	\$266.00	75	60x6x6	
4.618.2701.340	STG-3' Side Arm Kit c/w 4.500"OD Pipe	\$273.00	81	60x6x6	
4.618.2701.415	STG-4' Side Arm Kit c/w 1.900"OD Pipe	\$208.00	55	72x6x6	 4.618.2701.420
4.618.2701.420	STG-4' Side Arm Kit c/w 2.375"OD Pipe	\$220.00	64	72x6x6	
4.618.2701.425	STG-4' Side Arm Kit c/w 2.875"OD Pipe	\$232.00	68	72x6x6	
4.618.2701.430	STG-4' Side Arm Kit c/w 3.500"OD Pipe	\$246.00	74	72x6x6	
4.618.2701.435	STG-4' Side Arm Kit c/w 4.000"OD Pipe	\$281.00	88	72x6x6	
4.618.2701.440	STG-4' Side Arm Kit c/w 4.500"OD Pipe	\$285.00	94	72x6x6	
4.618.2701.515	STG-5' Side Arm Kit c/w 1.900"OD Pipe	\$217.00	62	84x6x6x	 4.618.2701.520
4.618.2701.520	STG-5' Side Arm Kit c/w 2.375"OD Pipe	\$233.00	71	84x6x6x	
4.618.2701.525	STG-5' Side Arm Kit c/w 2.875"OD Pipe	\$244.00	75	84x6x6x	
4.618.2701.530	STG-5' Side Arm Kit c/w 3.500"OD Pipe	\$259.00	80	84x6x6x	
4.618.2701.535	STG-5' Side Arm Kit c/w 4.000"OD Pipe	\$294.00	95	84x6x6x	
4.618.2701.540	STG-5' Side Arm Kit c/w 4.500"OD Pipe	\$298.00	100	84x6x6x	
4.618.2701.615	STG-6' Side Arm Kit c/w 1.900"OD Pipe	\$233.00	68	96x6x6	 4.618.2701.620
4.618.2701.620	STG-6' Side Arm Kit c/w 2.375"OD Pipe	\$245.00	77	96x6x6	
4.618.2701.625	STG-6' Side Arm Kit c/w 2.875"OD Pipe	\$257.00	81	96x6x6	
4.618.2701.630	STG-6' Side Arm Kit c/w 3.500"OD Pipe	\$272.00	86	96x6x6	
4.618.2701.635	STG-6' Side Arm Kit c/w 4.000"OD Pipe	\$306.00	101	96x6x6	
4.618.2701.640	STG-6' Side Arm Kit c/w 4.500"OD Pipe	\$310.00	107	96x6x6	


Part Number	Description	List Price	Ship Weight (lbs)	Ship L"xW"xH"	Image
4.618.2702.115	STG-Face Mount c/w 1.900"OD Pipe	\$161.00	38	60x6x6	 4.618.2702.120 Face Mount 4.618.2702.220 Leg Mount
4.618.2702.120	STG-Face Mount c/w 2.375"OD Pipe	\$202.00	53	60x6x6	
4.618.2702.125	STG-Face Mount c/w 2.875"OD Pipe	\$223.00	60	60x6x6	
4.618.2702.130	STG-Face Mount c/w 3.500"OD Pipe	\$253.00	69	60x6x6	
4.618.2702.135	STG-Face Mount c/w 4.000"OD Pipe	\$332.00	95	60x6x6	
4.618.2702.140	STG-Face Mount c/w 4.500"OD Pipe	\$356.00	104	60x6x6	
4.618.2702.215	STG-Leg Mount c/w 1.900"OD Pipe	\$161.00	37	60x6x6	
4.618.2702.220	STG-Leg Mount c/w 2.375"OD Pipe	\$202.00	52	60x6x6	
4.618.2702.225	STG-Leg Mount c/w 2.875"OD Pipe	\$223.00	59	60x6x6	
4.618.2702.230	STG-Leg Mount c/w 3.500"OD Pipe	\$253.00	69	60x6x6	
4.618.2702.235	STG-Leg Mount c/w 4.000"OD Pipe	\$332.00	94	60x6x6	
4.618.2702.240	STG-Leg Mount c/w 4.500"OD Pipe	\$356.00	104	60x6x6	

Cable Safety Climb Kits (OSHA approved; ANSI compliant; 3/8" aircraft)					
Part Number	Description	List Price	Ship Weight (lbs)	Ship L"xW"xH"	Image
4.99.0250.000	Cable Safety Climb Kit up to 50' STG, no slider	\$378.00	47	32x10x6	
4.99.0300.000	Cable Safety Climb Kit up to 100' STG, no slider	\$486.00	60	32x12x12	
4.99.0305.000	Cable Safety Climb Kit up to 150' STG, no slider	\$594.00	75	32x14x14	
4.99.0310.000	Cable Safety Climb Kit up to 200' STG, no slider	\$702.00	87	32x14x14	
4.99.0315.000	Cable Safety Climb Kit up to 250' STG, no slider	\$810.00	102	32x14x16	
4.99.0320.000	Cable Safety Climb Kit up to 300' STG, no slider	\$918.00	117	32x14x18	
4.99.0325.000	Cable Safety Climb Kit up to 350' STG, no slider	\$1026.00	129	40x40x18	
4.99.0330.000	Cable Safety Climb Kit up to 400' STG, no slider	\$1134.00	144	40x40x20	
4.99.0335.000	Cable Safety Climb Kit up to 450' STG, no slider	\$1242.00	158	40x40x20	
4.99.0340.000	Cable Safety Climb Kit up to 500' STG, no slider	\$1350.00	173	40x40x20	

Safety Climb Slider					
Part Number	Description	List Price	Ship Weight (lbs)	Ship L"xW"xH"	Image
4.99.0101.001	Cougar Stainless Steel Cable Slider w/ Karabiner	\$378.00	4	6x4x3	

Antenna Cluster Mounts					
Part Number	Description	List Price	Ship Weight (lbs)	Ship L"xW"xH"	Image
4.84.3CLS.00A	3-cluster Antenna Mount, 1.66"OD tube	\$206.00	40	36x8x8	 6-cluster Antenna Mount Illustrated
4.84.6CLS.00A	6-cluster Antenna Mount, 1.66"OD tube	\$413.00	80	36x16x8	

P.E. Stamped Drawings (for all States except Alaska and Hawaii – contact Trylon for pricing on Alaskan and Hawaiian stamps)

Part Number	Description	List Price	Ship Wt. (lbs)	Image
4.77.0101.900*	P.E. Stamped Dwg: Tower profile & standard FDN	\$1,600.00	2	
4.77.0101.940**	P.E. Stamped Dwg: Special soil FDN analysis & design	\$1,600.00	2	
4.77.0101.960	P.E. Stamped Dwg: Tower profile and special soil FDN	\$2,100.00	2	

* To order this P.E. stamped drawing, a completed "tower loading questionnaire" must accompany your PO to Trylon's distributor.

Questions include: maximum design wind speed, radial ice accumulation, projected antenna area in sq. ft., etc.

* For bracketed structures contact Trylon for special P.E. stamped drawing quote.

** This requires an official geotechnical soils report to be submitted along with the purchase order for this special foundation design/analysis. PO will not be accepted without geotechnical soils report for the site in question.