


Shuttered SC-Patch Cords 1 m, SC APC to SC APC with 3.0 mm jacketed tight-buffered fiber

CORNING

Part Number:
80611488687

Shuttered SC patch cords are carefully designed to provide an intuitive visual (red) indicator for proper connection to the low-profile wall plate with shuttered adapter. As the patch cord is plugged into the wall plate, the red color indicator disappears indicating a full connection when the red is no longer visible while plugged in. In addition, the shuttered SC patch cords and SC APC connector design helps provide protection from incidental contact and contamination of ferrule end face with a shuttered interface. Both the low-profile wall plate and the shuttered SC patch cords are compatible with standard SC APC adapters and patch cords.



Shuttered SC-Patchcord, 1 m, SC APC to SC APC with 3.0 mm jacketed tight-buffered fiber

Shuttered SC-Patch Cords 1 m, SC APC to SC APC with 3.0 mm jacketed tight-buffered fiber

CORNING

Specifications

General Specifications

Environment	Indoor
Cable Type	Jacketed cable

Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---

Design

Fiber Count	1
-------------	---

Specifications - Connector A

Polish	APC
Connector Type	SC

Specifications - Connector B

Polish	APC
Connector Type	SC

Dimensions

Length	1 m (3.28 ft)
--------	---------------

Ordering Information

Product Number	80611488687
Units per Delivery	1/1

Shuttered SC-Patch Cords 1 m, SC APC to SC APC with 3.0 mm jacketed tight-buffered fiber

The Corning logo is a blue square with the word "CORNING" in white, uppercase, sans-serif font.

Corning Optical Communications LLC • 4200 Corning Place • Charlotte, NC • 28216 • United States
800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/opcomm

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/trademarks. All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified. © 2026 Corning Optical Communications. All rights reserved.